Use of Enteroclysis for Chronic Constipation 1

Solomons HD*

Hematology, Pathology, University of the Witwatersrand, Ormonde, Johannesburg, South Africa

*Corresponding author: Hilary Denis Solomons, Hematology, Pathology, University of the Witwatersrand, Ormonde, PO Box 64203, Highlands North, Johannseburg, 2037, South Africa

Copyright: Hilary Denis Solomons, This article is freely available under the Creative Commons Attribution License, allowing unrestricted use, distribution, and non-commercial building upon your work.

Citation: Hilary Denis Solomons, Use of Enteroclysis for Chronic Constipation 1, Ann Env Sci, 2024; 1(1): 1.

Published Date: 06-08-2024 Accepted Date: 01-08-2024 Received Date: 20-07-2024

Keywords: Enteroclysis; Nasogastic

Commentary

A case is described of a 49 year old male with chronic constipation.

The man hah had no bowel movement for 4 days and an obstruction as a cause for chronic constipation had been ruled out.

All methods of laxatives including fleet enemas had been tried and eventually an enteroclysis was done.

A nasogastic tube was inserted under vision directly into the small bowel / duodenum.

4 litres of luke-warm saline was infused via the naso-gastric tube into the patient.

Within 40 minutes watery faeces began to pour from the anus of the chronically constipated individual.

This is a slightly unconventional but successful way of treating chronic constipation when all other methods of treatment have failed!